


HDE 3000-BK

The Electrohydraulic High-pressure Unit Powerful – Rugged – Reliable




HDE 3000-BK – the Power Pack.



Leading joining technology

HDE 3000-BK

PG 22 Electrohydraulic high-pressure unit for up to 3000 bar in compact design



Areas of Application


- The SCHAAF HDE 3000-BK is ideally suited for:
- The use of bolt tensioners, hydraulic nuts, ExpaTen Bolts and EcoRolls
- Tightening and loosening of oil press fits (e.g., gearwheels, flywheels, coupling hubs, roller bearings, hydraulic couplings and overload protection devices)



Advantages

The SCHAAF **HDE 3000-BK** Power Pack is a high-capacity, compact electrohydraulic high-pressure unit, specially designed for industrial use. Consequently, it is a reliable high-pressure generator: Rugged, compact and durable design

- Small dimensions (445 x 360 x 410 mm)
- Low weight (60 kg)
- Immediately ready for use, fully assembled and oil filled
- All components sealed leakproof
- No pressure loss even at 3000 bar
- Manufactured in high-quality materials
- Hardened, replaceable valve seats
- Pressure relief valve with internal tank return line
- Permanently installed in mobile housing
- Low-maintenance operation
- Up to 8 connections possible for 3000 bar
- Different supply voltages possible



Any special version possible

Complete solution from SCHAAF The accessories for the **HDE 3000-BK**, such as hydraulic hoses, connection couplings, as well as the hydraulic high-pressure tools such as bolt tensioners and hydraulic nuts are aligned to the functions = 100 % system solution.

SCHAAF Accessories and additional product groups

- High-pressure hydraulic hoses
- Couplings, nipples, adapters and distributor blocks for pressures up to 4,000 bar
- Bolt Tensioners (SSV)
- TTG Nuts and Bolts
- ShrinkNut
- Hydraulic Nuts (HM)
- GripLoc, GripLoc MSN
- ExpaTen Bolts, ExpaHub, ExpaTen QL

Certificates and Acceptance Tests

- Specific test reports
- Certificates as per special customer requirements

Quality Assurance

All **HDE 3000-BK** are checked for material quality, dimensional accuracy, correct functioning and load-resistance. During order execution, they are subject to continuous quality assurance measures and are supplied together with detailed technical documentation.

Services

HDE 3000-BK are, of course, oil filled and ready for immediate use.

SCHAAF **HDE 3000-BK** are user-friendly, reliable, and manufactured in accordance with the highest level of technical know-how. Our highly-motivated staff would be pleased to train your personnel, in situ or at our works, in the general handling and operation of high-pressure equipment.





SCHAAF GmbH & Co. KG Bruesseler Allee 22 41812 Erkelenz - Germany

Telephone: +49-2431-97770-0 Fax: +49-2431-97770-77

E-Mail: info@schaaf-gmbh.com Internet: www.schaaf-gmbh.com



9_indd_online · Irrtum vorbehalten euer Erkenntnisse jederzeit möglic tch ISO 16016.

www.schaaf-gmbh.com